MINERAL SURVEY No. 3597

	Arizona Land District.	
	FIELD NOTES	
	OF THE SURVEY OF THE MINING CLAIM OF	
	Julian Kennedy, Jŕ.	
	KNOWN AS THE	
	TOM PAYNE Lode	
	Mining District,	
	Pinal County, Arizona	
rtion	11 , Township 3 South , Range 13 East Unapp'	d.
Surve	eyed under instructions dated June 19th. , 1919.	
	by Harry E. Jones,	
	U. S. Mineral Surveyor.	
	Claim located See location notice , 19	
	Survey commenced July 1 st. , 1919.	
	Survey completed July 4th. , 1919.	
	Address of claimant Richard E. Sloan, 405 Fleming Bldg. At	t'
	Phoenix, Arizona. DATES OF AMENDED LOCATIONS.	

Feet

Beginning at Cor. No. 1

Whence the location monument bears N. 42°37'W. 0.68 ft.

A 32ft. in. pipe, with a 2in. round screw brass cap marked
U.S.MINERAL SURVEY NO. 3597-TP-1; set 20ins.in ground and
surrounded with a substantial mound of earth and rock.
U.S.Mineral Monument No. 2718 bears S.68°50'W. 3919.90ft.
Cor. 2 Wedge lode Sur. No. 3367 bears S.24°38'E. 147.76 ft.
Cor. 3 Chicago lode Sur. No. 2605 bears S.25°57'E. 263.0 ft.
No other bearings available.

Thence N. 83° 32' E. . .

300.00 To North End Center

Identical with location monument, a substantial mound of stone.

600.00 To Cor. No. 2 - - - -

On line 3-4 Calumet lode Sur. No. 2465.

Whence the location monument which is identical with Cor. 3 Calumet lode Sur. No. 2465 bears N.11°29'W. 4.82 ft.

A 32ft. in.pipe, with a 2in.round screw brass cap marked U.S.MINEPAL SURVEY NO.3597-TP-2; set 20ins.in.ground and surrounded with a substantial mound of earth and rock.

No bearing's available.

Thence S. 11° -29' E.

Along line 3-4 Calumet lode Sur. No. 2465.

1195.00 Cross road bears HE. and SW. -

1200.00 Cross center 20 ft. wash course SW.

1500.00 To Cor. No. 3

Identical with location monument, and Cor. 4 Calumet lode and Cor. 3 Black Warrior lode both of Sur. No. 2465, and Cor. 2 Juarez lode Sur. No. 3367:

A 32ft.1in.pipe with a 2in.round screw brass cap marked U.S.MINERAL SURVEY NO. 2465-3367-3597-C-4-BW-3-J-2-TP-3; set 20ins.in ground and surrounded with a substantial mound of earth and rock.

The section corner common to Sections 11 and 12; T. 3 S.

R. 13 E. G&SRB&M. Unapp'd. bears N.24°04'E. 629.37 ft.

No other bearings available.

	Feet	Thence S. 83° 32' W.
		Along line 1-2 Juarez lode Sur. No. 3367.
	300.00	To South End Center.
	nick Betset	Identical with location monument, and the North End Center
	. You	Juarez lode Sur. No. 3367; a substantial mound of stone.
	524.00	Cross center of 20 ft. wash course SW.
	530.00	Cross road bears NE and SW.
	583.77	Intersect line 2-3 Wedge lode Sur. No. 3367; whence Cor. 3
		bears S. 10° 45' E. 141.65 ft. and for 2 bears n. 10. 45' M. 1357.62 ft.
	599.20	To Cor. No. 4
		Identical with Cor.l Juarez Lode Sur.No.3367;
		The location monument bears S.83°32'W. 1.15 ft.
		A 4ft.lin.pipe with a 2in.square brass cap marked U.S.
		MINERAL SURVEY NO.3367-3597-J-1-TP-4; set 20 ins. in
		ground and surrounded with a substantial mound of earth
-	Ton Sur	and rock.
		Cor.3 Wedge lode identical with Cor.2 Adventure lode both
		of Sur. No. 3367; bears S. 16° 54' a. 143.63 ft.
		Cor.4 Marion lode Sur. No. 3055 bears N. 0°17'W. 601.94 ft.
	· (2010)	No other bearings available.
		Thence N. 11° 31' W.
	504.69	Intersect line 1-4 Marion lode Sur. No. 3055; whence Cor. 4
		bears N.42°19'E. 145.25 ft.
	751.11	Intersect line 3-4 Marion lode Sur. No. 3055; whence Cor. 4
		bears S.47°38'E. 198.94 ft.
	1017.00	Intersect line 3-4 Chicago lode Sur. No. 2605; whence Cor. 3
	onos t	bears N.4°30'E. 237.58 ft.
	1237.14	.Intersect line 2-3 Chicago lode Sur. No. 2605; whence Cor. 3
		bears N.71°20'E. 66.07 ft
	1351.93	Intersect line 1-2 Wedge lode Sur. No. 3367; whence Cor. 2
	(B-12-)	-bears N.71-18'E. 33.80 ft.
	1500.06	To Cor. No. 1 the place of beginning.
		Mana Late of California

Tess .usyrated .cappying

Variation at all corners 14° 20' E.

L. L. a. desired diseased in the content and a standard to

. aldelieve apiliens incre al

LODE LINE

As near as can be determined from the present developments the vein extends as follows from the discovery point: S.11°29'E. 195.0 ft. and N.11°29W. 1305.0 ft.

AREA

Total area Tom Payne lode

20.568 Acres

Area in conflict with:-

Wedge lode Sur. No. 3367

_0.7601

Marion lode Sur. No. 3055 0.332/

Chicago lode Sur. No. 2605 0.166

Marion lode Sur. No. 3055 exclusive of conflict with Wedge

lode Sur. No: 3367

0.211/

Chicago lode Sor. No. 2605 exclusive of conflict with Wedge

lode Sur. No. 3367

0.048 . Acres

LOCATION

This survey is located in the E2 of Section 11: T. 3 S. R. 13 E. G&SRB&M. Unapp'd. Mineral Creek Mining District. Final County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon of for the benefit of, the location embraced in said mining claim by the claimant or his grantors is not less than Five Hundred dollars, and that the said improve-

ments consist of: No.1, discovery point, on the lode line, 195 ft. from the South End Center. No value. No.2 Tunnel bears N.48°14'W. 277.3 ft. from Cor. 3 and runs N.8°E. 4x6x48 ft. thence N.51°E. 4x6x16.3 ft. at the 12 ft. point on this tangent a winze is sunk 4x6x17 ft.deep. thence N.34°E. 4x6x43 ft. thence N.4°E. 4x6x86.1 ft. thence N.17°W. 456x35.2 ft. thence N.16°30'E. 4x6x65.5 ft. thence N.29°W. 4x6x84.7 ft. thence N.22°E. 4x6x16.3 ft. thence N.58°E. 4x6x30.2 ft. to face.

Value \$3923.00

No.3 shaft 4x6x47 ft.deep bears N.15°14'W. 654.3 ft. from Cor. 3:

Value \$655.00

No.4 shaft 4x6x21 ft.deep bears S.31°15'E. 118.0 ft. from the North End Center.

Value \$ 265.00

NO OTHER IMPROVEMENTS.

ADJOINING CLAIMS

This survey is bounded on the North by the Granite lode Sur.No.2465; on the Bast by the Calumet lode Sur.No.2465; on the South by the Juarez lode Sur.No.3367; and on the West by the Wedge lode Sur.No.3367, Marion lode Sur.No. 3055, and the Chicago lode and Blue Bell lode both of Sur.No.2605, and Carrie Nation lode Sur.No.3367.

INSTRUMENT.

This survey was made with a light mounatin W.&L.E.Gurley transit.

The courses were deflected from a true meridian which was determined by direct sun observations on July 1st. and 4th. 1919.

The distances were measured with 50 and 600 foot steel tapes.

REPORT

All lines of this claim and tie lines in connection with this survey were run directly upon the ground and the corners established by direct measurements upon these lines.

The 1 section corner to which this survey is tied has been damaged by bending over even with the surface of the ground the foot or so of the pipe which was left above the gr ground. The tie given in these foregoing notes is taken to the center of the pipe at the surface of the ground.

Cor.3 of this lode which is identical with Cor.4 Calumet lode and Cor.3 Black Warrior lode both of Sur.No.2465 and Cor. 2 Juarex lode Sur.No.3367, was marked by a stone

in the foregoing field notes.

REPORT Continued

and all measurements to and from same were made before replacing same with a brass capped pipe corner, which I did, being unable to make additional marks upon the stone corner owing to the irregular surface of same.

I am unable to check line 1-2 of the Juarez lode Sur.No. 3367; also the tie line to the \$\frac{1}{4}\$ section corner common to Sections 11 and 12 T. 3 S. R. 13 E. Unapp'd. as given and approved from Cor.2 Juarez lode Sur.No.3367.

The correct courses and distances of these lines are given

Hours, Jouls
U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the inc	dividuals employed by Harry E. Jones,
United States Mineral Surveyor,	to assist in running, measuring, and marking the lines, corners, and
boundaries described in the forego	oing field notes of the survey of the mining claim of
	Julian Kennedy, Jr.
known as the	TOM PAYNE Lode
and showing the respective capaci	ties in which they acted.
	J. L. Jones , Chainman.
	H. S. Carpenter , Chainman.
	, Awman.
	, Flagman.
FINAL	OATHS OF ASSISTANTS.
We, J. L. J.	ones,
	, do solemnly swear that we assisted
	United States Mineral Surveyor, in marking the corners and surveying
	n of
	Julian Kennedy, Jr.
	TOM PAYNE Lode
represented in the foregoing field n	notes as having been surveyed by said mineral surveyor and under his
	been in all respects, to the best of our knowledge and belief, faithfully
	er and boundary monuments established according to law and the instruc-
tions furnished by the United States	
	IL Jones, Chainman,
	Hours, Chainman.
	, Axman.
	, Flagman
Subscribed and	sworn to by the above-named persons before me this 19th.
	July , 1919,
	Rayl O Place
	Notary Public.
2311 2 3 3	250 to 150 to 15

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Har	ry E. Jones	, U. S. Mineral Surveyor.
	n pursuance of instructions rece	
	Arizona,	
	, I have, in strict	
	regulations and instructions the	
	faithfully and correctly execute	
Claim of	Julian Kennedy, Jr.	
	ON PAYNE Lode	
situate in N	inamal Creek	Mining District
	County, Ariz	
	o.3 South Range No. 13 Eas	
	No. 3597	
	, which accurately show the bou	
	numents on the ground, and de	
	which was received by me from	
	all the corners of said survey har	
	ce with the law, official regular	
	elemnly swear that the foregoin	
	and my report therein, and the	
	aid mining claim by claimant or	
	and that the character, extent,	
thereof are specified therein	with particularity and full de-	tail, and that no portion of
said labor or improvements	so credited to this claim has be	een included in the estimate
	ner claim.	
*		
	11	
	Han	U. S. Mineral Surveyor.
		U. S. Mineral Surveyor.
Subscribed and sworn to	by the said Harry E. Jon	es
U. S. Mineral Surveyo	or, before me Ralph A. Phill	ips a Notary Public in
	pa State of Arizona.	
day of July	1979.	
	July	a. Philips Public.
6—1044	Notary	Public.

and

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Pno	enix, Arizona	2.,	
	Maı	rch 31,	191 9 •
I, U. S. Surveyor-General for	Ariz	one.	
do hereby certify that the foregoing and he	ereto attached Field	Notes and Return of the	e Survey of the
Mining Claim of			
TOM PA	YNE Lode		
situate in Minera	al Creek	<u>-</u> 1	mining district,
Pinal	County,	Arizona	
in Section, Township	No. 3 S.	, Range No. 13 E	. Unappid.
, designated as Surve	у № 3597		
executed by Harry E.	Jones	, United	States Mineral
Surveyor, July 1-4		, 191 ⁹ , under my inst	ructions dated
June 19th , 19	1.9., have been crit	ically examined and the	necessary cor-
rections and explanations made, and the sa	id Field Notes and	Return, and the Survey	they describe,
are hereby approved. A true copy of the	copy of the location	certificate filed by the	applicant for
survey is included in the field notes.			
	France	NDOG,	0//
a 9994	U. S. Surveyo	r-General for Arizon	na.

6-3824

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,				
		M	arch 31,	, 1919
I, U. S. Surveyor-Ge	eneral for	Arizona	t	
				n and approval of the surve
of the mining claim of		Julian	Kennedy,	Jr.
known as the	Т	OM PAYNE	Lode	
situate in	<u>N</u>	lineral C	reek	
				Arizona
in Section 11	, Township No	3 s.	, Range No	13 E. Unapp'd, and
designated as Survey No.	3597	, has been	correctly copied	from the originals on file in
				said mining claim as will, in
				ich reference is made therein
to natural objects or perm	anent monuments	as will perpe	tuate and fix the	locus thereof.
				been expended or improve-
ments made upon said m	ining claim by clai	imant or h	s grantors, a	nd that said improvements
consist of2	shafts and a	a tunnel		
4				

and that no portion of said				ne estimate of expenditures
pon any other claim.	- tanger of improve	ments has be	en included in th	ne estimate of expenditures
	he plat thereof file	od in the TLO	LT 10m	Phoenix,
Arizona				
	is correct and	i in conformit	y with the forego	oing Field Notes.
			rank P. Tr	cott,
	United Stat	tes Surveyor-Ge	eneral for	Arizona.
6-2934		, ,	J	